



SAFETY DATA SHEET
SCREEN, CASE & KEYBOARD CLEANING KIT - FOAMCLENE

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME SCREEN, CASE & KEYBOARD CLEANING KIT - FOAMCLENE

PRODUCT NO. 2SUBAFCL (SCK)

APPLICATION Office Equipment Cleaning Product

SUPPLIER AF INTERNATIONAL. A division
of HK WENTWORTH LTD
KINGSBURY PARK.
MIDLAND ROAD,
SWADLINCOTE
DERBYSHIRE DE11 0AN
UNITED KINGDOM
+44 (0) 1283 222111
+44 (0) 1283 550177
info@hkw.co.uk

EMERGENCY TELEPHONE +44(0)1283 222 111 between 8.30 am - 5.00pm Mon - Fri

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

| Name | EC No. | CAS-No. | Content | Classification |
|---|-----------|------------|---------|------------------------|
| DEMINEALISED WATER | | 7732-18-5 | 80-100% | - |
| PROPAN-2-OL | 200-661-7 | 67-63-0 | 1-5% | F;R11 Xi;R36 R67 |
| 2-BUTOXYETHANOL | 203-905-0 | 111-76-2 | 1-5% | Xn;R20/21/22 Xi;R36/38 |
| DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED | 265-149-8 | 64742-47-8 | 1-5% | Xn;R65 |
| ALKYLBENZENE SUPHONIC ACID SODIUM SALT | 285-600-2 | 85117-50-6 | 1-5% | Xn;R22. Xi;R38,R41. |

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels

4 FIRST-AID MEASURES

NOTES TO THE PHYSICIAN

Treat symptomatically

INHALATION

Move the exposed person to fresh air at once. Provide rest, warmth and fresh air.

INGESTION

Rinse mouth thoroughly. Get medical attention.

SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

SCREEN, CASE & KEYBOARD CLEANING KIT - FOAMCLENLE**5 FIRE-FIGHTING MEASURES****EXTINGUISHING MEDIA**

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES**SPILL CLEAN UP METHODS**

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

7 HANDLING AND STORAGE**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

| Name | Std | TWA - 8 hrs | | STEL - 15 min | | Notes |
|-----------------|-----|---------------|-----------------------|---------------|------------------------|-------|
| 2-BUTOXYETHANOL | WEL | 25 ppm(Sk) | 123 mg/m ³ | 50 ppm(Sk) | | |
| PROPAN-2-OL | WEL | 400 ppm | 999 mg/m ³ | 500 ppm | 1250 mg/m ³ | |

WEL = Workplace Exposure Limit.

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

ENGINEERING MEASURES

No particular ventilation requirements.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|---------------------------------|-----------------------------|-------------------------|---------------|
| APPEARANCE | Liquid | | |
| ODOUR | Characteristic | | |
| SOLUBILITY | Completely soluble in water | | |
| BOILING POINT (°C) | >100 | RELATIVE DENSITY | 0.995 @ 20 °c |
| pH-VALUE, CONC. SOLUTION | 7-8 | | |

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

11 TOXICOLOGICAL INFORMATION

SCREEN, CASE & KEYBOARD CLEANING KIT - FOAMCLENLE

HEALTH WARNINGS

No specific health warnings noted.

No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.

Other Health Effects

This substance has no evidence of carcinogenic properties.

| | |
|-----------------------------|-------------------------|
| Name | PROPAN-2-OL |
| Toxic Dose 1 - LD 50 | 5045 mg/kg (oral rat) |
| Toxic Dose 2 - LD 50 | 3600 mg/kg (oral-mouse) |
| Toxic Conc. - LC 50 | 47-73 mg/l/4h (inh-rat) |
| Name | 2-BUTOXYETHANOL |
| Toxic Dose 1 - LD 50 | 1480 mg/kg (oral rat) |

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

| | |
|-------------------------------------|-----------------|
| Name | PROPAN-2-OL |
| LC 50, 96 Hrs, FISH mg/l | 9600 |
| EC 50, 48 Hrs, DAPHNIA, mg/l | 10000 |
| Name | 2-BUTOXYETHANOL |
| LC 50, 96 Hrs, FISH mg/l | 1700 |
| EC 50, 48 Hrs, DAPHNIA, mg/l | >1000 |
| IC 50, 72 Hrs, ALGAE, mg/l | 500 |

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION



| | | | |
|-----------------------------|--|-------------------------|----------------|
| UK ROAD CLASS | 2.2 | | |
| PROPER SHIPPING NAME | AEROSOLS | | |
| RAIL TRANSPORT NOTES | Not Classified. | | |
| SEA TRANSPORT NOTES | Not Classified. | | |
| AIR TRANSPORT NOTES | Not Classified. | | |
| UK ROAD PACK GR. | Not Applicable | ADR CLASS NO. | 2.2 |
| ADR CLASS | Class 2.2: Non-flammable, non-toxic gases. | ADR PACK GROUP | Not Applicable |
| ADR LABEL NO. | 2.2 | CEFIC TEC(R) NO. | 20G5A, |
| RID CLASS NO. | 2.2 | RID PACK GROUP | Not Applicable |
| UN NO. SEA | 1950 | IMDG CLASS | 2.2 |
| IMDG PACK GR. | Not Applicable | EMS | F-D; S-U |
| MFAG | See Guide | MARINE POLLUTANT | No. |
| UN NO. AIR | 1950 | AIR CLASS | 2.2 |
| AIR PACK GR. | Not Applicable | | |

15 REGULATORY INFORMATION

SCREEN, CASE & KEYBOARD CLEANING KIT - FOAMCLENLE**RISK PHRASES**

| | |
|----|-----------------|
| NC | Not classified. |
|----|-----------------|

SAFETY PHRASES

| | |
|-----|---|
| A1 | Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. |
| A2 | Do not spray on a naked flame or any incandescent material. |
| S2 | Keep out of the reach of children |
| S16 | Keep away from sources of ignition - No smoking. |
| S23 | Do not breathe vapour/spray. |

UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 1988.

EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC.

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION**REVISION COMMENTS**

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

ISSUED BY

Helen O'Reilly

| | |
|----------------------|----------------|
| REVISION DATE | SEPTEMBER 2008 |
|----------------------|----------------|

| | |
|-------------------------------------|---|
| REV. NO./REPL. SDS GENERATED | 5 |
|-------------------------------------|---|

| | |
|----------------|-------|
| SDS NO. | 11094 |
|----------------|-------|

RISK PHRASES IN FULL

| | |
|-----------|---|
| R11 | Highly flammable. |
| R20/21/22 | Harmful by inhalation, in contact with skin and if swallowed. |
| R22 | Harmful if swallowed. |
| R36 | Irritating to eyes. |
| R36/38 | Irritating to eyes and skin. |
| R38 | Irritating to skin. |
| R41 | Risk of serious damage to eyes. |
| R65 | Harmful: may cause lung damage if swallowed. |
| R67 | Vapours may cause drowsiness and dizziness. |

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



SAFETY DATA SHEET
SCREEN, CASE &KEYBOARD CLEANING KIT - ULTRACLENE

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME SCREEN, CASE &KEYBOARD CLEANING KIT - ULTRACLENE
PRODUCT NO. 2SUBAULT (SCK)
APPLICATION Office Equipment Cleaning Product
SUPPLIER AF INTERNATIONAL. A division
of HK WENTWORTH LTD
KINGSBURY PARK.
MIDLAND ROAD,
SWADLINCOTE
DERBYSHIRE DE11 0AN
UNITED KINGDOM
+44 (0) 1283 222111
+44 (0) 1283 550177
info@hkw.co.uk
EMERGENCY TELEPHONE +44(0)1283 222 111 between 8.30 am - 5.00pm Mon - Fri

2 HAZARDS IDENTIFICATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION R52/53.

3 COMPOSITION/INFORMATION ON INGREDIENTS

| Name | EC No. | CAS-No. | Content | Classification |
|----------------------|-----------|-----------|---------|-------------------------|
| DEMINERALISED WATER | | 7732-18-5 | 30-60% | - |
| 1-METHOXY-2-PROPANOL | 203-539-1 | 107-98-2 | 1-5% | R10 |
| d-LIMONENE | 227-813-5 | 5989-27-5 | <0.5% | R10 R43 Xi;R38 N;R50/53 |

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels

4 FIRST-AID MEASURES

NOTES TO THE PHYSICIAN

Treat symptomatically

INHALATION

Move the exposed person to fresh air at once. Provide rest, warmth and fresh air.

INGESTION

Rinse mouth thoroughly. Get medical attention.

SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SCREEN, CASE &KEYBOARD CLEANING KIT - ULTRACLENE

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

| Name | Std | TWA - 8 hrs | | STEL - 15 min | | Notes |
|----------------------|-----|----------------|------------------|----------------|------------------|-------|
| 1-METHOXY-2-PROPANOL | WEL | 100 ppm(Sk) | 375 mg/m3(Sk) | 150 ppm(Sk) | 560 mg/m3(Sk) | |

WEL = Workplace Exposure Limit.

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

ENGINEERING MEASURES

No particular ventilation requirements.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|--------------------------|-----------------------------|------------------|-----------------------|
| APPEARANCE | Liquid | | |
| COLOUR | White | | |
| ODOUR | Characteristic | | |
| SOLUBILITY | Completely soluble in water | | |
| BOILING POINT (°C) | ~100 | RELATIVE DENSITY | 0.880 - 0.890 @ 20 °c |
| pH-VALUE, CONC. SOLUTION | 7-9 | | |

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

11 TOXICOLOGICAL INFORMATION

HEALTH WARNINGS

No specific health warnings noted.

No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.

SCREEN, CASE &KEYBOARD CLEANING KIT - ULTRACLENE

Other Health Effects

This substance has no evidence of carcinogenic properties.

| | |
|-----------------------------|--------------------------|
| Name | 1-METHOXY-2-PROPANOL |
| Toxic Dose 1 - LD 50 | 5200 mg/kg (oral rat) |
| Toxic Dose 2 - LD 50 | 11700 mg/kg (oral-mouse) |
| Name | d-LIMONENE |
| Toxic Dose 1 - LD 50 | >5000 mg/kg (oral rat) |

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

| | |
|-------------------------------------|----------------------|
| Name | 1-METHOXY-2-PROPANOL |
| LC 50, 96 Hrs, FISH mg/l | 20800 |
| EC 50, 48 Hrs, DAPHNIA, mg/l | 23300 |
| Name | d-LIMONENE |
| EC 50, 48 Hrs, DAPHNIA, mg/l | 12.3 |

Mobility

The product has poor water-solubility.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

| | | | |
|-----------------------------|-------------------------------------|-------------------------|-----|
| | No transport warning sign required. | | |
| RAIL TRANSPORT NOTES | Not Classified. | | |
| SEA TRANSPORT NOTES | Not Classified. | | |
| AIR TRANSPORT NOTES | Not Classified. | | |
| ADR CLASS | Not classified for transportation. | MARINE POLLUTANT | No. |

15 REGULATORY INFORMATION

RISK PHRASES

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY PHRASES

P14 Contains d-LIMONENE. May produce an allergic reaction.

UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 1988.

EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC.

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

SCREEN, CASE &KEYBOARD CLEANING KIT - ULTRACLENE

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION

REVISION COMMENTS

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

ISSUED BY

Helen O'Reilly

REVISION DATE SEPTEMBER 2008

REV. NO./REPL. SDS 3

GENERATED

SDS NO. 11092

RISK PHRASES IN FULL

| | |
|--------|--|
| R10 | Flammable. |
| R38 | Irritating to skin. |
| R43 | May cause sensitisation by skin contact. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



SAFETY DATA SHEET
SCREEN, CASE & KEYBOARD CLEANING KIT - SCREENCLEN

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME SCREEN, CASE & KEYBOARD CLEANING KIT - SCREENCLEN
PRODUCT NO. 2SUBASCS (SCK)
APPLICATION Office Equipment Cleaning Product
SUPPLIER AF INTERNATIONAL. A division
of HK WENTWORTH LTD
KINGSBURY PARK.
MIDLAND ROAD,
SWADLINCOTE
DERBYSHIRE DE11 0AN
UNITED KINGDOM
+44 (0) 1283 222111
+44 (0) 1283 550177
info@hkw.co.uk
EMERGENCY TELEPHONE +44(0)1283 222 111 between 8.30 am - 5.00pm Mon - Fri

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

| Name | EC No. | CAS-No. | Content | Classification |
|--------------------|--------|-----------|---------|----------------|
| DEMINEALISED WATER | | 7732-18-5 | 80-100% | - |

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels

4 FIRST-AID MEASURES

NOTES TO THE PHYSICIAN

Treat symptomatically

INHALATION

Move the exposed person to fresh air at once. Provide rest, warmth and fresh air.

INGESTION

Rinse mouth thoroughly. Get medical attention.

SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

SCREEN, CASE & KEYBOARD CLEANING KIT - SCREENCLEN

SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

ENGINEERING MEASURES

No particular ventilation requirements.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|--------------------------|-----------------------------|------------------|---------------|
| APPEARANCE | Liquid | | |
| ODOUR | Characteristic | | |
| SOLUBILITY | Completely soluble in water | | |
| BOILING POINT (°C) | >100 | RELATIVE DENSITY | 0.997 @ 20 °c |
| pH-VALUE, CONC. SOLUTION | 5-7 | | |

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

11 TOXICOLOGICAL INFORMATION

HEALTH WARNINGS

No specific health warnings noted.

No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.

Other Health Effects

This substance has no evidence of carcinogenic properties.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

SCREEN, CASE & KEYBOARD CLEANING KIT - SCREENCLEN

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

| | | | |
|-----------------------------|-------------------------------------|-------------------------|-----|
| | No transport warning sign required. | | |
| ROAD TRANSPORT NOTES | Not Classified | | |
| RAIL TRANSPORT NOTES | Not Classified. | | |
| SEA TRANSPORT NOTES | Not Classified. | | |
| AIR TRANSPORT NOTES | Not Classified. | | |
| ADR CLASS | Not classified for transportation. | MARINE POLLUTANT | No. |

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

NC Not classified.

UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 1988.

EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC.

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION

REVISION COMMENTS

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

ISSUED BY

Helen O'Reilly

REVISION DATE

SEPTEMBER 2008

REV. NO./REPL. SDS

3

GENERATED

SDS NO.

11093

RISK PHRASES IN FULL

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.