SAFETY DATA SHEET SSS® ODOR NEUTRALIZER Dry Air Freshener (#05233) Print Date 05/30/2015 Version 1.0 Revision Date 04/24/2015 SECTION 1. PRODUCT AND COMPANY IDENTIFICATION Material name : SSS® Odor Neutralizer(Dry Air Freshener) Material number A00207

Material number	. AUU2U7			
Manufacturer or supplier's details				
Company	: Triple S			
Address	: 2 Executive Park Drive Billerica, MA 01862			
Telephone	: 978-667-7900			

Emergency telephone numbers			
For SDS Information	:	978-667-7900	
For a Medical Emergency	:	1-888-779-1339	
For a Transportation	:	1-888-779-1339	
Emergency			

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear
Odour	characteristic

GHS Classification

Flammable aerosols	:	Category 1
Gases under pressure	:	Liquefied gas
Eye irritation	:	Category 2A
Specific target organ toxicity -	:	Category 3 (Central nervous system)
single exposure		

GHS Label element

Hazard pictograms

Precautionary statements

Signal word



Hazard statements : H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

> : Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

55® ODOR NEUTRA	LIZER Dry Air Freshener	(#05233)
/ersion 1.0	Revision Date 04/24/2015	Print Date 05/30/2018
	 P264 Wash skin thoroughly after h P271 Use only outdoors or in a we P280 Wear eye protection/ face print Response: P304 + P340 + P312 IF INHALED and keep at rest in a position composition composition composition composition composition composition composition contracts of the composition of the composition composition contracts of the composition composition	ell-ventilated area. rotection. :: Remove victim to fresh ai fortable for breathing. Call a sician if you feel unwell. Rinse cautiously with wate act lenses, if present and sts: Get medical advice/ t. Do not expose to 22 °F. ace.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	No component of this product presen equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
OSHA	No component of this product present equal to 0.1% is identified as a carcin carcinogen by OSHA.	
NTP	equal to 0.1% is identified as a known by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 10 - < 20
butane	106-97-8	>= 5 - < 10
Trade Secret	Not Assigned	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area. Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

SAFETY DATA SHEET					
SSS® ODOR NEUTRAL	IZER Dry Air Freshener	(#05233)			
Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015			
If inhaled	: Remove to fresh air immediately. immediately.	Get medical attention			
In case of skin contact	: Wash off immediately with plenty minutes.	of water for at least 15			
	Take off contaminated clothing ar				
	Get medical attention if irritation d Wash contaminated clothing befo				
In case of eye contact	: In case of contact, immediately flu for at least 15 minutes.	ush eyes with plenty of water			
	Remove contact lenses.				
	Keep eye wide open while rinsing If eye irritation persists, consult a				
If swallowed	: DO NOT induce vomiting unless of physician or poison control center				
	Never give anything by mouth to a	an unconscious person.			
	If symptoms persist, call a physici	an.			

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO2) Dry chemical Water spray jet Alcohol-resistant foam
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	 For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

: Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive
concentrations. Vapours can accumulate in low areas.

SAFETY DATA SHEET				
SSS® ODOR NEUTRALIZER Dry Air Freshener (#0523				
Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015		
Environmental precautions	: Prevent product from entering drai Prevent further leakage or spillage If the product contaminates rivers a respective authorities.	if safe to do so.		
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, sawc Sweep up or vacuum up spillage a container for disposal.	lust).		

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Wear cold-insulating gloves/face shield/eye protection. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0

SAFELT DATA SH					
SSS® ODOR NEU	JTRALIZER Dry /	Air Freshei	ner	(#05233)	
Version 1.0	Revision	Revision Date 04/24/2015		Print Date 05/30/2015	
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0	
propane	74-98-6	TWA	1,000 ppm	ACGIH	
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL	
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1	
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0	
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL	
		TWA	800 ppm 1,900 mg/m3	OSHA P0	

Biological occupational exposure limits

SAFETY DATA SHEET

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of	50 mg/l	ACGIH BEI
				shift (As		
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
- ·	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear
Odour	: characteristic

R Dry Air Freshener(#05233)Revision Date 04/24/2015Print Date 05/30/2015

Version 1.0	Revision Date 04/24/2015
Odour Threshold	: no data available
pH	: no data available
Melting point/freezing point	: no data available
Boiling point	: no data available
Flash point	:
	not applicable
Evaporation rate	: no data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 3,447 - 4,136 hPa
Relative vapour density	: no data available
Density	: no data available
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available
Viscosity	
Viscosity, kinematic	: no data available
Heat of combustion	: 34.77 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	Stable	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	Vapours may form explosive mixture with No decomposition if stored and applied a	
Conditions to avoid	Heat, flames and sparks. Extremes of temperature and direct sunli	ght.
Incompatible materials	Amines Bases Oxidizing agents	
Hazardous decomposition products	Carbon dioxide (CO2) Carbon monoxide	

Version 1.0

Revision Date 04/24/2015

Print Date 05/30/2015

(#05233)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:	
acetone: Acute oral toxicity	: LD50 rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 rat: 132 mg/l Exposure time: 3 h
	LC50 rat: 50.1 mg/l
Acute dermal toxicity	: LD50 guinea pig: > 7,426 mg/kg
	LD50 rabbit: > 7,426 mg/kg
propane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h
	LC50 rat: 1,355 mg/l
butane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 1,355 mg/l
Skin corrosion/irritation	
Product:	
Remarks: May cause skin irr	itation in susceptible persons.
Sorious ava damaga/ava irritatio	<u></u>

Serious eye damage/eye irritation

Product:

Remarks: Eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Version 1.0

Revision Date 04/24/2015

Print Date 05/30/2015

(#05233)

Reproductive toxicity

no data available

acetone: propane: butane: Trade Secret:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available
	: Pow: 2.89
Mobility in soil	
no data available	
Other adverse effects	
no data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.

SAFETY DATA SHEET SSS® ODOR NEUTRA	LIZER Dry Air Freshener	(#05233)
Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015
	Clean Air Act Section 602 (40 Cl + B).	FR 82, Subpt. A, App.A
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Compone	nts	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone		67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

Version 1.0

Print Date 05/30/2015

(#05233)

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	Is : Sudden Release of Pressure Hazard Acute Health Hazard Fire Hazard	
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
The components of th	is product are reported in the following inventories:	
TSCA DSL	On TSCA Inventory This product contains one or several components that are not on the Canadian DSL nor NDSL.	
AICS NZIOC PICCS	Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory	


Revision Date 04/24/2015

IECSC Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



	(#05233)
Revision Date 04/24/2015	Print Date 05/30/2015
 sources. No smoking. Do not spray on an open flame or Pressurized container: Do not pierce or burn, even after fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly a or in a well-ventilated area. Wear eye protection/ face pr Response: IF INHALED: Remove victim to fresh air and comfortable for breathing. Call a POISON CENTER or d unwell. IF IN EYES: Rinse cautiously with water for seve lenses, if present and easy to do. Continue rinsing. If eye advice/ attention. Storage: Store locked up. Protect from sunlight. Do not 	other ignition source. use. Avoid breathing dust/ fter handling. Use only outdoors otection. I keep at rest in a position octor/ physician if you feel eral minutes. Remove contact e irritation persists: Get medical expose to temperatures
	 Danger: Extremely flammable aerosol. Contains gas under press Causes serious eye irritation. May cause drowsiness or of Prevention: Keep away from heat, hot surfaces, sparks, sources. No smoking. Do not spray on an open flame or Pressurized container: Do not pierce or burn, even after fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly a or in a well-ventilated area. Wear eye protection/ face pre Response: IF INHALED: Remove victim to fresh air and comfortable for breathing. Call a POISON CENTER or d unwell. IF IN EYES: Rinse cautiously with water for seve lenses, if present and easy to do. Continue rinsing. If eyes

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.